

2026 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

Moisture below Mean

TW above Mean

CHT 80

	CROPLAN			Dekalb			Brevant			NK		Pioneer		NEW		
	CP2180VT2P/RIB	CP2288VT2P/RIB	CP2324VT2P/RIB	DKC075-70RIB	DKC081-18RIB	DKC084-15RIB	B78K17AM	B80J65PCE	B81M50PCE	NK8005-V	NK8232-AA	P78150PCE	P80463PCE	CP2206TRE	Plot Mean	LSD (.10)
Gilby-ND	210	191	210	209	215	227	225	229	210	193	224	199	211	225	215.9	11.1
Harvey-ND	82	117	133	50	90	139	93	140	131	61	82	120	105	121	114.1	14.8
Hazelton-ND	193	206	223	168	206	220	212	227	211	203	213	197	187	234	212.0	10.5
Mayville-ND	182	171	200	160	167	181	165	182	171	151	166	176	173	183	173.0	17.9
Radium-MN	230	211	245	209	239	242	242	252	220	193	239	222	223	253	231.8	12.7
Washburn-ND	131	141	141	127	137	141	137	165	153	126	145	149	145	144	143.3	10.8
Overall Ave	**189**	**184**	**204**	**175**	**193**	**202**	**196**	**211**	**193**	**173**	**197**	**189**	**188**	**208**	**195.2**	
Overall % of Mean	**97%**	**94%**	**104%**	**89%**	**99%**	**104%**	**101%**	**108%**	**99%**	**89%**	**101%**	**97%**	**96%**	**107%**		
Yield/Moisture ratio	11.5	10.7	11.6	11.2	11.4	11.5	12.0	11.8	10.9	9.7	11.1	11.3	10.5	11.7	**11.2**	
East of 281	207	191	218	193	207	217	211	221	200	179	209	199	202	220	**205.5**	
West of 281	136	154	166	115	145	167	147	177	165	130	147	155	146	166	**152.0**	
Yield Env <180 bu	132	143	158	113	131	154	132	162	152	113	131	148	141	149	**139.9**	
Yield Env 180+	211	203	226	195	220	229	226	236	214	196	225	206	207	238	**216.6**	
Moisture Ave*	**16.5**	**17.1**	**17.6**	**15.6**	**16.9**	**17.7**	**16.4**	**17.9**	**17.7**	**17.8**	**17.8**	**16.8**	**18.0**	**17.8**	**17.4**	
Test Weight Ave	**58.5**	**58.1**	**56.9**	**58.6**	**58.2**	**57.5**	**59.3**	**58.6**	**59.7**	**57.4**	**58.2**	**58.6**	**59.6**	**57.2**	**58.1**	

Notes

Harvey had a hail event and had some greensnap that both impacted yield on in the plot
Glen Ullin and Ulen did not meet data quality standards



2026 Regional Answer Plot Summary

YIELD > Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

TW above Mean

CHT 85	CROPLAN					Dekalb					Brevant				NK			Pioneer	NEW		
	CP2585VT2P/RIB	CP2667VT2P/RIB	CP2790VT2P/RIB	CP2845SS/RIB	CP2845VT2P/RIB	DKC084-15RIB	DKC087-97RIB	DKC35-34RIB	DKC36-48RIB	DKC36-86RIB	B84R61PCE	B85K27AM	B86J43AM	B87K63V	NK8519-V	NK8558-AA	NK8711-V	P87040PCE	CP2719PCE	Plot Mean	LSD (.10)
Britton-SD	214	251	246	235	240	245	250	225	242	240	244	268	233	268	255	261	242	241	286	246.0	10.9
Edgeley-ND	210	234	228	206	218	226	207	208	217	213	239	221	191	229	207	212	219	211	233	216.5	12.5
Gilby-ND	212	230	243	224	228	233	252	225	218	226	258	244	222	228	235	265	216	226	NA	231.3	18.3
Glenullin-ND	90	96	122	71	85	107	99	93	85	89	115	81	88	109	108	109	93	94	85	94.8	19.6
Harvey-ND	168	175	158	147	153	139	171	158	149	148	152	144	162	149	143	131	138	156	131	152.1	18.7
Hazelton-ND	229	244	234	223	220	223	244	216	235	224	239	223	221	229	231	236	215	227	244	227.4	12.9
Mayville-ND	170	212	216	184	199	189	228	204	211	194	212	193	177	198	148	205	181	188	194	195.5	22.8
Radium-MN	240	254	269	236	239	233	253	248	246	242	265	257	232	242	246	250	226	246	263	246.5	14.7
Santiago-MN	209	248	256	234	NA	241	249	228	238	236	285	254	247	271	238	278	254	239	291	249.9	12.2
Wahpeton-ND	196	245	224	217	NA	224	236	205	225	215	248	238	218	230	262	252	254	229	234	230.3	15.0
Washburn-ND	126	140	142	136	126	142	137	145	144	140	146	134	129	131	129	142	133	135	137	136.1	13.9
Overall Ave	**187**	**214**	**215**	**194**		**203**	**211**	**197**	**205**	**199**	**222**	**208**	**193**	**212**	**203**	**216**	**202**	**201**	**219**	**204.9**	
Overall % of Mean	**91%**	**104%**	**105%**	**94%**		**99%**	**103%**	**96%**	**100%**	**97%**	**108%**	**101%**	**94%**	**103%**	**99%**	**105%**	**98%**	**98%**	**107%**		
Yield/Moisture ratio	10.7	11.8	11.6	10.7		11.4	11.4	11.0	11.5	11.3	12.8	11.7	10.6	11.8	10.6	11.9	10.4	11.0	11.9	**11.3**	
ND Ave	170	195	194	173	170	185	192	179	186	179	200	182	171	188	181	193	182	180	188	**183.3**	
North of I94	191	217	225	203		208	224	210	211	208	233	216	202	214	199	228	202	207	221	**211.9**	
South of I94	212	243	233	220		229	234	214	230	223	242	238	216	239	239	240	232	227	249	**230.8**	
West of 281	164	179	181	159	162	175	171	166	170	166	185	165	157	175	169	175	165	166	175	**169.3**	
East of 281	207	240	242	222		227	245	223	230	225	252	242	222	239	231	252	229	228	254	**233.6**	
Yield Env <200	129	149	160	130	137	146	154	147	147	141	158	136	131	146	128	152	135	139	139	**142.1**	
Yield Env 200+	216	246	243	225		232	240	222	234	228	253	244	224	245	240	248	235	232	259	**237.0**	
Moisture Ave	**17.4**	**18.2**	**18.5**	**18.1**	**18.0**	**17.9**	**18.5**	**17.9**	**17.9**	**17.6**	**17.2**	**17.7**	**18.2**	**18.0**	**19.1**	**18.2**	**19.3**	**18.3**	**18.4**	**18.2**	
Test Weight Ave	**57.9**	**57.0**	**57.2**	**57.9**	**57.9**	**57.9**	**56.8**	**57.9**	**57.0**	**57.4**	**57.5**	**56.8**	**58.3**	**59.1**	**57.3**	**56.7**	**56.9**	**57.4**	**56.6**	**57.4**	

Notes

Gilby is not included in overall average because of missing data for CP2719PCE so we have a balanced data set

2845 is not included in overall average because it was missing data from a couple locations

Harvey had a hail event and had some greensnap that both impacted yield on in the plot (not included in averages)



2026 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean

YIELD Greater than Mean of all Locations

Irrigated Location

Moisture below Mean

TW above Mean

CHT 90	CROPLAN					Dekalb					Brevant		NK			Pioneer		
	CP2845SS/RIB	CP2965VT2P/RIB	CP3104VT4P/RIB	CP3276SSPRO/RIB	CP3330aVT2P/RIB	DKC092-13RIB	DKC092-14RIB	DKC39-54RIB	DKC39-55RIB	DKC41-55RIB	B90H65PCE	B91W35AM	NK8828-V	NK9134-V	NK9231-AA	P92399PCE	Plot Mean	LSD (.10)
Belgrade-MN	219	243	273	253	277	290	289	211	238	232	255	258	263	254	276	236	257.7	12.5
Britton-SD	220	254	261	243	274	183	160	235	235	230	271	262	192	244	232	271	242.2	17.6
Donnelly-MN	245	261	280	270	272	278	288	251	253	259	268	252	291	269	275	255	267.6	14.1
Edgeley-ND	207	218	212	220	235	222	231	212	211	204	229	217	241	216	216	232	219.4	13.4
Menomonie-WI	229	269	277	254	272	271	294	224	236	234	239	255	279	255	276	266	260.7	16.8
Santiago-MN	222	256	278	250	277	283	280	231	233	232	252	244	265	262	282	257	256.7	11.3
Wahpeton-ND	219	246	255	241	239	255	250	228	223	226	227	221	255	228	257	239	240.9	13.1
Watertown-SD	225	246	275	248	251	280	282	228	219	246	249	234	270	233	257	248	248.9	13.3
Overall Ave	**223.3**	**249.2**	**263.8**	**247.5**	**262.0**	**257.7**	**259.3**	**227.6**	**231.0**	**232.9**	**248.6**	**243.0**	**257.0**	**245.0**	**258.8**	**250.6**	**249.5**	
Overall % of Mean	**89%**	**100%**	**106%**	**99%**	**105%**	**103%**	**104%**	**91%**	**93%**	**93%**	**100%**	**97%**	**103%**	**98%**	**104%**	**100%**		
Yield/Moisture ratio	**12.7**	**14.5**	**14.5**	**13.9**	**14.1**	**14.3**	**14.2**	**13.0**	**12.9**	**13.2**	**14.2**	**13.4**	**14.3**	**13.0**	**14.1**	**14.5**	**13.9**	
ND Ave	218	241	251	238	250	235	231	226	222	226	244	234	240	230	240	248	**235.0**	
Irrigated	221	250	275	252	277	286	285	221	236	232	253	251	264	258	279	247	**254.0**	
Dryland	224	249	260	246	257	248	251	230	229	233	247	240	255	241	252	252	**243.4**	
Yield Env <250	218	241	251	238	250	235	231	226	222	226	244	234	240	230	240	248	**235.0**	
Yield Env 250+	229	257	277	257	274	280	288	229	240	239	254	252	274	260	277	253	**257.3**	
CRW hybrids			264	247		258	259	228									**251.2**	
Moisture Ave	**17.6**	**17.2**	**18.2**	**17.9**	**18.5**	**18.1**	**18.3**	**17.5**	**17.8**	**17.7**	**17.5**	**18.1**	**17.9**	**18.8**	**18.4**	**17.3**	**18.1**	
Test Weight Ave	**58.8**	**58.6**	**58.2**	**57.3**	**57.3**	**57.6**	**57.5**	**58.1**	**58.3**	**58.8**	**57.9**	**57.5**	**57.6**	**58.1**	**57.3**	**56.3**	**57.9**	

Notes

Britton had some significant greensnap that impacted yield

Casselton and Ulen did not meet data quality standards



2026 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean | YIELD Greater than Mean of all Locations | Moisture below Mean | Irrigated Location

CHT 95	CROPLAN									Dekalb					Brevant					NK					Pioneer		NEW		
	CP3490VT2P/RIB	CP3519SS/RIB	CP3595VT4P/RIB	CP3715SSPRO/RIB	CP3724VT2P/RIB	CP3790VT2P/RIB	CP3818TRE/RIB	CP3818VT4P/RIB	CP3899VT2P/RIB	DKC094-67RIB	DKC094-78RIB	DKC095-57RIB	DKC096-96RIB	DKC097-51RIB	B93D60V	B94C58PCE	B94M64V	B95D68PCE	B96M56PCE	NK9231-AA	NK9501-DS	NK9771-DV	NK9802-DSV	NK9819-V	P95819PCE	P96760PCE	CP3629PCE	Plot Mean	LSD (.10)
Belgrade-MN	265	262	304	276	285	291	289	281	264	266	283	299	284	296	261	250	291	276	278	261	274	257	293	256	278	274	289	280.2	15.4
Britton-SD	248	257	281	242	266	270	267	253	253	280	245	275	262	292	255	262	294	274	279	261	252	276	298	246	280	264	282	269.0	13.9
Donnelly-MN	265	269	273	256	264	268	288	287	254	260	272	284	268	285	250	264	272	270	257	273	267	258	273	260	258	262	283	269.8	16.5
Edgeley-ND	231	248	265	210	236	242	235	237	236	246	231	254	254	255	202	217	241	240	230	224	220	216	193	240	245	222	256	235.5	15.3
Hitchcock-SD	213	228	234	213	212	239	204	219	228	219	233	223	214	241	206	214	235	190	240	228	199	226	244	199	223	154	199	218.5	16.7
Menomonie-WI	256	275	284	256	245	288	265	258	247	279	259	275	256	287	224	260	281	248	280	271	254	263	264	236	270	249	283	267.5	14.8
Minneota-MN	223	255	255	236	253	239	233	235	237	256	237	274	250	268	243	245	269	267	267	255	213	232	247	203	255	242	239	248.7	17.3
Morgan-MN	215	227	242	228	243	237	236	233	232	246	234	238	238	251	219	219	254	227	264	215	201	239	247	210	246	222	241	235.4	12.4
Murdock-MN	264	276	300	274	288	287	293	291	262	292	285	301	285	308	264	267	302	287	278	285	282	283	289	258	286	267	284	284.7	12.6
Pipestone-MN	229	245	263	242	250	257	252	241	239	262	241	261	253	271	218	223	250	244	246	234	220	253	226	226	242	201	246	244.1	17.0
Wahpeton-ND	235	257	251	240	246	256	227	253	234	259	264	251	260	243	240	241	259	245	245	232	233	252	250	240	234	221	247	246.7	18.6
Wanamingo-MN	243	254	283	266	272	278	278	270	254	271	263	277	268	290	251	255	288	252	273	270	262	262	284	240	262	247	273	268.0	13.0
Watertown-SD	243	233	257	243	267	255	267	245	252	261	252	265	255	280	238	249	276	260	280	245	247	257	264	220	261	241	265	256.1	10.8
WestSalem-WI	242	261	287	267	259	285	275	269	246	269	271	278	274	267	247	268	280	262	283	270	249	273	283	223	275	260	277	268.1	15.2
Overall Ave	**239**	**253**	**267**	**244**	**254**	**262**	**255**	**253**	**244**	**262**	**253**	**266**	**257**	**272**	**235**	**245**	**269**	**251**	**263**	**251**	**238**	**253**	**259**	**231**	**257**	**235**	**260**	**252.9**	
Overall % of Mean	**95%**	**100%**	**106%**	**97%**	**100%**	**103%**	**101%**	**100%**	**97%**	**103%**	**100%**	**105%**	**102%**	**108%**	**93%**	**97%**	**106%**	**99%**	**104%**	**99%**	**94%**	**100%**	**102%**	**91%**	**102%**	**93%**	**103%**		
Yield/Moisture ratio	**13.1**	**13.3**	**15.1**	**13.0**	**13.2**	**13.7**	**13.2**	**13.3**	**12.9**	**13.7**	**13.9**	**15.1**	**13.9**	**14.8**	**12.9**	**13.3**	**15.5**	**14.1**	**14.0**	**13.9**	**13.0**	**12.9**	**13.4**	**11.2**	**13.9**	**12.7**	**14.3**	**13.7**	
ND Ave	233	252	258	225	241	249	231	245	235	253	247	253	257	249	221	229	250	242	237	228	227	234	222	240	240	221	251	**239.7**	
SD Ave	235	239	257	233	248	255	246	239	244	253	243	254	244	271	233	242	268	241	266	245	233	253	269	221	255	220	248	**246.5**	
MN Ave	243	255	274	254	265	265	267	262	249	265	259	276	264	281	244	246	275	261	266	256	245	255	265	236	261	245	265	**259.3**	
Yield Env <250	224	243	252	228	240	245	231	236	234	248	240	250	245	255	221	227	251	236	249	232	214	236	235	220	241	210	238	**236.3**	
Yield Env 250+	253	261	284	260	268	278	278	269	254	272	266	282	269	288	249	259	285	266	276	267	261	266	281	242	271	258	280	**268.3**	
CRW hybrids		253	270	246				255		262		268	259		237		271				241		261					**256.7**	
Moisture Ave*	**18.3**	**19.0**	**17.7**	**18.7**	**19.2**	**19.1**	**19.3**	**19.0**	**18.87**	**19.1**	**18.1**	**17.6**	**18.4**	**18.4**	**18.3**	**18.5**	**17.4**	**17.8**	**18.8**	**18.07**	**18.3**	**19.6**	**19.3**	**20.6**	**18.5**	**18.5**	**18.1**	**18.5**	
Test Weight Ave*	**57.9**	**58.9**	56.0	**57.6**	56.9	**57.7**	57.0	57.0	**57.84**	**58.1**	**58.4**	**57.3**	**57.6**	55.4	**57.3**	**58.6**	55.4	56.4	**57.6**	**57.5**	57.0	**58.2**	**57.6**	57.0	57.1	57.0	56.2	**57.1**	

Notes

Britton had some moderate greensnap that impacted yield
Santiago did not meet data quality standards



2026 Regional Answer Plot Trial Summary

YIELD Greater than Plot mean | YIELD > Mean of all Locations | Moisture below Mean

Irrigated Location | TW above Mean

CHT 100

	CROPLAN								Dekalb					Brevant					NK					Pioneer				NEW			
	CP3818TRE/RIB	CP3818VT4P/RIB	CP3852TRE/RIB	CP3980VT2P/RIB	CP4024SSPRO/RIB	CP4111VT4P/RIB	CP4129PCE/RA	CP4444VT2P/RIB	DKC098-88RIB	DKC099-59RIB	DKC101-33RIB	DKC101-35RIB	DKC102-28RIB	B01A60PCE	B01V22AM	B02C66PCE	B98237PCE	B99R54PCE	NK0001-DS	NK0025-DV	NK0123-AA	NK0252-D	NK9908-AA	P00549PCE	P01851PCE	P02405PCE	P98125PCE	CP3939PCE	CP4213TRE	Plot Mean	LSD (.10)
Belgrade-MN	298	285	278	288	287	296	315	290	280	281	295	311	284	317	277	294	276	295	285	287	268	290	285	299	297	286	297	291	305	291.4	16.3
Britton-SD	264	272	268	267	244	269	284	267	274	256	275	270	263	302	261	282	282	264	270	252	242	254	255	287	291	263	290	258	282	270.3	22.2
Donnelly-MN	289	278	282	297	264	285	304	292	292	277	299	302	261	316	295	282	296	294	275	290	268	281	294	262	274	279	297	286	320	287.4	16.6
Hitchcock-SD	233	219	254	240	211	245	222	230	228	241	263	237	231	259	247	256	244	231	225	234	223	224	233	228	227	209	234	222	253	235.0	22.9
Menomonie-WI	261	253	278	266	263	282	291	269	297	264	286	302	261	310	264	299	251	285	256	241	254	249	267	274	280	259	278	274	296	274.2	16.9
Minneota-MN	256	257	245	247	256	245	267	269	248	243	275	272	258	280	264	291	265	279	253	232	203	243	238	256	272	266	236	265	279	257.2	16.8
Morgan-MN	242	240	247	233	230	251	247	268	235	253	251	262	252	258	236	265	251	265	242	241	237	232	234	259	246	259	263	270	271	249.3	12.8
Murdock-MN	295	290	304	287	265	294	309	306	273	297	299	302	294	303	271	317	299	300	281	289	274	280	283	293	316	288	294	284	302	293.7	13.5
Owatonna-MN	261	245	249	245	245	269	291	279	247	261	269	270	256	286	240	280	262	265	276	266	247	248	252	272	264	261	271	271	294	264.1	15.4
Pipestone-MN	258	257	275	275	256	271	275	268	250	276	277	279	283	276	267	274	262	283	253	256	245	249	226	256	267	260	265	267	291	265.4	12.7
Sheldon-IA	265	244	276	254	261	268	291	272	254	270	257	288	270	271	257	281	268	268	248	241	259	249	265	253	271	268	266	274	289	265.1	17.8
Truman-MN	250	253	259	249	258	270	276	263	252	262	272	268	268	277	257	276	264	265	261	247	247	238	232	274	278	260	266	253	274	262.0	12.8
Wanamingo-MN	280	270	282	274	264	280	297	301	268	302	285	293	279	298	255	300	281	284	271	276	262	273	269	279	290	269	279	277	287	281.0	13.1
Watertown-SD	248	243	239	249	244	247	259	261	235	266	277	279	246	278	245	289	269	271	245	259	226	242	253	273	262	255	276	248	271	257.1	14.8
WestSalem-WI	281	261	275	290	276	299	280	281	259	248	263	283	281	293	272	303	265	282	280	292	244	254	287	285	291	278	297	293	299	279.7	17.5
Overall Ave	**265**	**258**	**267**	**264**	**255**	**271**	**281**	**274**	**260**	**266**	**276**	**281**	**266**	**288**	**260**	**286**	**269**	**275**	**262**	**260**	**246**	**254**	**258**	**270**	**275**	**264**	**274**	**269**	**288**	**268.4**	
Overall % of Mean	**99%**	**96%**	**100%**	**98%**	**95%**	**101%**	**105%**	**102%**	**97%**	**99%**	**103%**	**105%**	**99%**	**107%**	**97%**	**107%**	**100%**	**103%**	**97%**	**97%**	**92%**	**95%**	**96%**	**101%**	**102%**	**98%**	**102%**	**100%**	**107%**		
Yield/Moisture ratio	**14.4**	**14.2**	**14.7**	**14.0**	**13.4**	**14.1**	**14.7**	**14.3**	**14.0**	**14.0**	**14.7**	**15.2**	**13.6**	**14.7**	**13.7**	**15.1**	**14.7**	**15.0**	**12.9**	**13.1**	**12.1**	**12.6**	**13.1**	**14.6**	**14.0**	**14.0**	**14.8**	**14.3**	**14.9**	**14.2**	
MN Ave	270	264	269	266	258	273	287	282	261	272	280	284	271	290	262	287	273	281	267	265	250	259	257	272	278	270	274	274	291	**271.2**	
SD Ave	248	245	254	252	233	254	255	253	246	254	272	262	247	280	251	276	265	255	247	248	230	240	247	263	260	242	267	243	269	**253.5**	
Yield Env <260	245	240	246	242	235	247	249	257	237	251	266	263	247	269	248	275	257	261	241	241	222	235	240	254	252	247	252	251	269	**249.7**	
Yield Env >260	273	264	275	272	262	280	292	281	268	272	280	288	273	295	265	290	273	281	269	267	255	260	265	276	283	270	282	275	294	**275.2**	
CRW hybrids		258			255	271			260	266	276								262	260		254								**262.4**	
Moisture Ave	**18.4**	**18.2**	**18.2**	**18.8**	**19.0**	**19.2**	**19.0**	**19.1**	**18.6**	**19.0**	**18.8**	**18.5**	**19.6**	**19.7**	**19.0**	**18.9**	**18.3**	**18.4**	**20.2**	**19.8**	**20.3**	**20.2**	**19.7**	**18.4**	**19.7**	**18.8**	**18.6**	**18.9**	**19.4**	**19.0**	
Test Weight Ave	**57.2**	**57.0**	**56.6**	**57.9**	**57.2**	**56.6**	**56.7**	**57.2**	**58.0**	**55.7**	**55.9**	**56.0**	**57.0**	**56.6**	**55.7**	**54.8**	**55.7**	**56.2**	**58.1**	**55.9**	**56.8**	**57.0**	**56.8**	**56.5**	**56.3**	**55.9**	**57.1**	**56.8**	**55.9**	**56.7**	

Notes

Britton had some moderate greensnap that impacted yield

Lake Vermillion and Pukwana did not meet data quality standards



2026 Regional Answer Plot Trial Summary

YIELD > Plot mean

YIELD Greater than Mean of all Locations

Moisture below Mean

Irrigated Location

TW above Mean

CHT 105	CROPLAN							Dekalb						Brevant							NK					Pioneer				
	CP4516TRE/RIB	CP4652SSPRO/RIB	CP4689PCE/RA	CP4757VT2P/RIB	CP4770SS/RIB	CP4822VT2P/RIB	CP4840TRE/RIB	DKC103-63RIB	DKC104-08RIB	DKC106-98RIB	DKC107-11RIB	DKC107-69RIB	DKC56-26RIB	B03W64V	B04J45PCE	B05D47PCE	B05V69V	B06W51PCE	B07G52PCE	B07M67V	NK0401-DS	NK0415-AA	NK0604-DV	NK0717-V	NK0880-V	P0240SPCE	P0395IPCE	P0573PCE	Plot Mean	LSD (.10)
Morgan-MN	266	235	289	232	277	221	282	264	258	259	284	293	237	256	238	264	282	292	262	276	234	271	229	233	271	228	265	241	258.8	17.1
Minneota-MN	270	238	273	228	257	219	252	259	250	228	273	289	246	252	236	278	252	257	247	232	242	239	221	206	232	245	249	240	248.5	25.1
Murdock-MN	305	271	319	269	283	266	311	299	293	296	300	301	299	319	304	305	304	289	304	308	276	276	266	285	308	268	309	286	293.9	15.1
Norfolk-NE	247	231	225	238	233	248	211	228	220	229	213	244	261	253	239	238	218	244	249	230	206	235	233	244	222	221	240	231	233.6	13.2
Owatonna-MN	284	240	281	259	289	229	284	267	253	275	297	287	264	272	271	300	297	291	299	293	261	285	274	231	291	244	275	253	273.8	16.6
Pipestone-MN	286	237	283	253	233	229	259	255	266	259	274	271	250	273	247	276	308	275	257	271	257	243	244	253	242	249	261	263	260.7	21.1
Sheldon-IA	276	271	295	258	253	235	259	279	260	287	271	285	270	290	284	285	270	291	299	286	262	254	253	257	275	239	288	249	270.2	18.6
StoryCity-IA	239	224	265	249	249	220	258	235	248	247	265	276	263	243	261	264	257	252	273	260	227	246	225	223	228	237	251	243	246.8	16.9
Truman-MN	280	238	295	265	272	236	282	258	263	268	296	290	268	279	267	274	267	279	292	279	242	260	240	230	282	225	293	276	267.3	13.2
Wanamingo-MN	293	272	314	264	315	264	298	302	298	310	302	318	300	298	281	312	293	301	309	300	292	290	265	257	313	255	308	280	293.5	12.6
WestSalem-WI	310	262	304	284	312	244	295	295	270	302	306	302	307	320	295	292	311	313	314	316	301	298	295	247	319	250	298	302	292.3	18.1
Overall Ave	**278**	**247**	**286**	**254**	**270**	**237**	**272**	**267**	**262**	**269**	**280**	**287**	**270**	**278**	**266**	**281**	**278**	**280**	**282**	**277**	**255**	**263**	**250**	**242**	**271**	**242**	**276**	**260**	**267.2**	
Overall % of Mean	**104%**	**93%**	**107%**	**95%**	**101%**	**89%**	**102%**	**100%**	**98%**	**101%**	**105%**	**107%**	**101%**	**104%**	**100%**	**105%**	**104%**	**105%**	**106%**	**104%**	**95%**	**99%**	**93%**	**91%**	**101%**	**91%**	**103%**	**97%**		
Yield/Moisture ratio	13.5	12.4	13.7	12.2	13.4	12.0	12.9	12.9	13.3	12.5	13.3	13.7	13.6	13.7	13.2	13.5	14.0	14.0	13.4	12.9	12.5	13.5	11.6	11.3	11.9	12.5	14.0	12.7	**13.1**	
MN Ave	283	247	293	253	275	238	281	272	269	271	289	293	266	278	264	287	286	283	281	280	258	266	248	242	277	245	280	263	**270.4**	
Yield Env <260	255	232	263	237	254	227	251	246	244	241	259	275	252	251	244	261	252	261	258	250	227	248	227	226	238	233	251	239	**246.5**	
Yield Env >260	291	256	299	264	280	243	284	279	272	285	292	293	280	293	279	292	293	291	296	293	270	272	262	251	290	247	290	273	**279.0**	
CRW Hybrids		247			270			267	262	269	280			278			278			277	255		250						**266.6**	
Moisture Ave	**20.6**	**20.0**	**20.9**	**20.8**	**20.2**	**19.9**	**21.1**	**20.6**	**19.61**	**21.6**	**21.0**	**20.9**	**19.8**	**20.3**	**20.2**	**20.8**	**19.9**	**20.0**	**21.1**	**21.4**	**20.4**	**19.5**	**21.6**	**21.4**	**22.8**	**19.4**	**19.8**	**20.5**	**20.3**	
Test Weight Ave	**55.9**	**56.1**	**56.1**	**57.7**	**56.1**	**57.1**	**56.3**	**56.8**	**56.08**	**57.6**	**55.6**	**54.6**	**55.8**	**56.3**	**55.4**	**56.1**	**56.1**	**55.6**	**55.3**	**56.2**	**56.5**	**57.2**	**55.7**	**57.1**	**55.1**	**56.4**	**56.4**	**56.0**	**56.0**	

Notes Lake Vermillion and Pukwana did not meet data quality standards



2026 Regional Answer Plot Summary

YIELD Greater than Plot mean

YIELD > Mean of all Locations

Moisture below Mean

Irrigated Location

TW above Mean

CHT 110	CROPLAN							Dekalb						Brevant						Pioneer				NEW		
	CP4839PCE/RA	CP4917SSPRO/RIB	CP4949PCE/RA	CP5050VT4P/RIB	CP5208VT2P/RIB	CP5249PCE/RA	CP5272VT2P/RIB	DKC110-10RIB	DKC110-41RIB	DKC111-35RIB	DKC111-61RIB	DKC112-12RIB	DKC112-35RIB	B09G62V	B10Z50PCE	B11A66PCE	B11Z67PCE	B12A50PCE	B12J58V	P09076PCE	P09312V	P10300PCE	P11056PCE	CP5217VT4P	Plot Mean	LSD (.10)
Morgan-MN	249	265	218	274	211	278	236	239	246	244	255	264	255	225	239	243	246	261	249	248	242	238	250	292	245.8	20.5
Norfolk-NE	220	214	221	247	209	220	249	235	243	256	252	248	244	235	213	236	249	201	236	223	221	242	214	241	233.8	12.8
Owatonna-MN	296	286	270	293	271	322	274	277	281	259	292	287	263	283	303	302	286	297	294	277	273	302	300	294	284.9	16.3
Sheldon-IA	271	287	286	279	269	326	260	294	300	259	293	273	271	284	281	293	297	286	287	281	273	294	296	284	281.0	16.2
StoryCity-IA	240	249	256	257	235	268	239	221	251	235	253	261	259	250	257	260	249	262	253	242	244	250	268	252	248.7	13.3
Truman-MN	268	273	293	293	275	320	287	270	292	273	285	284	287	272	261	290	292	299	277	267	284	276	271	318	282.6	16.1
Overall Ave	**257**	**262**	**257**	**274**	**245**	**289**	**258**	**256**	**269**	**255**	**272**	**269**	**263**	**258**	**259**	**271**	**270**	**268**	**266**	**256**	**256**	**267**	**266**	**280**	**262.9**	**14.6**
Overall % of Mean	**98%**	**100%**	**98%**	**104%**	**93%**	**110%**	**98%**	**97%**	**102%**	**97%**	**103%**	**102%**	**100%**	**98%**	**98%**	**103%**	**103%**	**102%**	**101%**	**97%**	**97%**	**102%**	**101%**	**107%**		
Yield/Moisture ratio	**12.5**	**12.7**	**12.8**	**13.6**	**11.8**	**14.0**	**12.1**	**12.4**	**13.2**	**12.6**	**13.2**	**12.8**	**12.2**	**12.6**	**12.8**	**12.9**	**13.0**	**12.4**	**12.4**	**12.7**	**12.6**	**13.1**	**12.4**	**13.9**	**12.8**	
Moisture Ave	**20.6**	**20.7**	**20.1**	**20.1**	**20.8**	**20.7**	**21.3**	**20.6**	**20.3**	**20.3**	**20.6**	**21.1**	**21.5**	**20.5**	**20.2**	**21.0**	**20.7**	**21.5**	**21.5**	**20.13**	**20.4**	**20.5**	**21.5**	**20.2**	**20.7**	
Test Weight Ave	**56.9**	**55.3**	**55.7**	**56.5**	**57.1**	**54.8**	**57.9**	**57.2**	**56.3**	**57.4**	**56.3**	**56.6**	**55.6**	**56.5**	**56.7**	**56.0**	**56.2**	**56.5**	**56.3**	**56.1**	**56.8**	**55.2**	**57.2**	**56.4**	**56.3**	

Notes Pukwana did not meet data quality standards